



ECOLOGY
CONCEPT

ÜRÜN KATALOĞU
PRODUCT CATALOG



Dünya için

bir pencereden daha fazlası

 **INTERPEN®**



KALİTE

Çevreye duyarlı, müşteri beklentilerini karşılayan, ulusal ve uluslararası yasal gerekliliklere uygun standartlardaki ürünlerini zamanında teslim etmeyi ilke edinen **INTERPEN** kalite ve verimliliği her aşamada artırmak ve kendisini sürekli iyileştirmek için;

- Tüm faaliyetlerinde müşteri tarafından tanımlanan kaliteyi kendi kalite hedefleri ile birleştirip uygulayarak,
- Sektörde tecrübeli personeline kalite bilincini yayarak,
- Personelin daha fazla sorumluluk üstlenmesini ve her aşamada katılımını sağlayarak,
- Sektördeki yeni teknolojiler ve yeni ürünleri takip ederek üretim altyapısı ve ürün gamını geliştirerek,
- Liderlik anlayışı ile bütün faaliyetlerinde müşteri ve çalışan bağlılığını sürdürmeyi prensip edinmiştir.

INTERPEN bu temeller üzerine kurduğu kalite politikası ile sürekli olarak kendini yenileyen bir firma olmayı hedeflemektedir.

QUALITY

INTERPEN that is environmentally sensitive, satisfying the expectations, having the principle to deliver the goods in due time with standards in conform to national and international legal requirements; in order to improve the quality and productivity at every stage and continually improve ourselves;

- By applying own quality objectives combined with quality defined by the customers in all its activities,
- By spreading quality consciousness to own experienced personnel within the sector,
- By obtaining the undertake of more responsibility of the personnel and participation of them at every stage,
- By developing production infrastructure and product range following the new technologies and new products in the sector,
- Makes the principle of carrying on customer and employee loyalty within its all activities with leadership understanding.

INTERPEN intends to be the company that renew itself continually together with its established quality policy based over this fundamentals.



HAKKIMIZDA

1993 yılında kurulan ve kısa sürede Türkiye'nin PVC kapı-pencere sektöründe öncü kuruluşu konumunu kazanan INTERPEN; markasına duyulan güven ve kalitesinden aldığı güçle PVC kapı-pencere ve tüm PVC sistemleri imalatı alanlarında hizmet vermektedir.

INTERPEN grubu olarak 2016 yılı itibariyle, Ankara 1. Organize Sanayi Bölgesinde 20.000 m² kapalı alan üzerine kurulu son teknoloji ile donatılmış olan fabrikamızda, üretimin başından sonuna büyük bir titizlikle kalite standartlarına uygun, insan sağlığı ön planda tutularak PVC profil üretimine başlamış bulunmaktayız. Yıllık 10.000 ton üretim kapasitesi ile PVC profil sektöründe, yurt içi ve yurt dışı pazarlarda varlığını her geçen gün artırmaktadır.

PVC kapı ve pencere üretimlerimiz; İvedik Organize Sanayi Bölgesinde 42.000 m², Sincan Organize Sanayi Bölgesinde 20.000 m² olmak üzere, toplamda 62.000 m² kapalı alana sahip fabrikalarımızda günde 1200 adet doğrama olmak üzere yapılmaktadır.

Grubumuz; alanında uzman 500 daimi personel istihdam etmekte, 200'e yakın bayisi ile Ankara'nın tüm semt-ilçelerinde hizmet vermekte ve bunun yanında Türkiye'nin birçok iline ve yurtdışı pazarlara da kusursuz olarak hizmet götürmekteyiz.

Üretim tesislerimiz, günümüz teknolojisi ile modernize tam otomatik makineler kullanılarak, her türlü talebe cevap verebilecek şekilde dizayn edilmiştir. INTERPEN grubu; genç ve dinamik personelinin azimli çalışmalarıyla sektöründe "en iyi hizmet-en kaliteli ürün" amacıyla ülkemizde PVC pencere üretimi sıralamasında büyük başarıları imza atmıştır.

INTERPEN markası, sahip olduğu geniş bayi ağı ve uzman kadrolarıyla verdiği hizmetler sayesinde müşterilerin kolaylıkla ürünlerine ulaşmasını sağlamaktadır. Vizyonumuz; "Çözüm Merkezi" sloganı ile sektördeki liderliğimizi koruyarak ülkemizdeki marka bilinirliğini uluslararası pazarlara taşımaktır. Misyonumuz yaşam alanlarında güvenilir, yenilikçi ve konforlu çözümler sunmaktır. Bunlar için sahip olduğumuz temel değerlerimiz ise "dürüstlük, yetkinlik, sürekli gelişim, sorumluluk, katılımcılık, müşteri odaklılık, değerlere saygı, takdir, sürat"tir.

INTERPEN grubu olarak mükemmelliğe olan tutkumuz, müşterilerimizden aldığımız güçle beraber üretmeye, araştırmaya, yeni tasarımlara, istihdam oluşturmaya ve ülkemiz ekonomisine katkıda bulunmaya devam edeceğiz.

ABOUT US

INTERPEN, established in Ankara in 1993, quickly became a leader in the manufacturing of PVC Door & Window systems. The investments in the production of PVC door & window systems have been buoyed by customers' trust in the INTERPEN brand and its quality.

As of 2016, INTERPEN launched its PVC extrusion factory in Ankara's 1st Organized Industrial Zone. This facility, equipped with the latest technology, spans 20,000 sqm of indoor space and is dedicated to producing PVC Profiles from start to finish, adhering to top-tier production and quality standards, with human health as a priority. With an annual PVC profile production capacity of 10,000 tons, INTERPEN is poised to amplify its presence in the PVC Profile market, serving both domestic and international customers.

Our PVC Door & Window systems are manufactured at two facilities: one located in the İvedik Organized Industrial Zone with 42,000 sqm of indoor space, and another in the Ankara 1st Organized Industrial Zone, covering 20,000 sqm. Together, they produce 1,200 doors and windows daily.

The INTERPEN Group boasts a robust team of 500 permanent employees and a network of approximately 200 sales points. This expansive team caters to all districts and counties of Ankara, various other cities, and even extends its reach to foreign markets, consistently delivering impeccable service.

Utilizing modernized, fully automatic machines with the latest technology, our production facilities are primed to meet diverse demands. INTERPEN's young and dynamic staff propels the group towards its vision of offering the "best service and highest quality product" in the sector. The brand's widespread dealer network and adept team ensure easy access to its products for all customers.


Our motto, "Solution Center", encapsulates our vision: to transform our national brand recognition into an international presence by fortifying our leadership in the sector. Our mission is clear: to offer reliable, innovative, and comfortable solutions for living spaces. We uphold core principles of "honesty, competence, continuous development, responsibility, participation, customer focus, respect for values, appreciation, and speed."

Fueled by a relentless pursuit of excellence and the trust of our customers, INTERPEN is committed to continuous innovation, research, design, employment generation, and contributing to the national economy.

Sağlam, Yüksek Performanslı (Isı, Ses ve Güvenlik), Estetik Yeni Nesil Pencere Sistemleri


Solid, High Performance (Heat-Sound-Security),
Aesthetic New Generation Window Systems

$U_f =$
0,90
W/m²K




**24 - 44 mm
cam kalınlıkları**

24 - 44 mm
glass thickness



**Estetik
görünümü çift
cam çitası**

Aesthetic
appearance
with double
glazing bead



**Isı, ses, toz ve
suyu absorbe
eden özel conta**

Special gasket
absorbing heat,
noise, dust and
water





Destek sacı

Reinforcement
steel

3 Conta TPE Conta

3 Gasket TPE Gasket

82MM
6 ODACIK
CHAMBERS



ANCHA 70





INTERPEN®

Huzurlu ve Sıcak Yuvaların Penceresi

Now Houses are Brighter,
the Windows are More Aesthetic.




$U_f =$
1,3
W/m²K




**4 + 16 + 4 çift
cam uygulama**

4+16+4 double
glazing
application




**Estetik
görünümü çift
cam çitası**

Aesthetic
appearance
with double
glazing bead



**Isı, ses, toz ve
suyu absorbe
eden özel
conta**

Special gasket
absorbing heat,
noise, dust and
water





Destek sacı

Reinforcement
steel

70MM
5 ODACIK
CHAMBERS

interpen.com.tr



ARENA 70/60





INTERPEN

Geleneksel Pencerede, Optimum Çözümler

Optimum Solutions in Traditional Windows




$U_f =$
1,3
W/m²K




**4+16+4 çift
cam uygulama**

4+16+4 double
glazing
application




**Estetik
görünümü çift
cam çitası**

Aesthetic
appearance
with double
glazing bead



**Isı, ses, toz ve
suğu absorbe
eden özel
conta**

Special gasket
absorbing heat,
noise, dust and
water



Destek sacı

Reinforcement
steel

**70MM
5 ODAÇIK
CHAMBERS**


interpen.com.tr



SİSTEM PROFİLLERİ

SYSTEM PROFILES

ARENA 70/60




AGENA 60

Artık evler daha aydınlık, pencereler daha estetik.

Now houses are brighter, the windows are more aesthetic.




$U_f =$
1,4
W/m²K




4 + 16 + 4 çift cam uygulama

4+16+4 double glazing application




Estetik görünümlü çift cam ırtası

Aesthetic appearance with double glazing bead



Isı, ses, toz ve suyu absorbe eden özel conta

Special gasket absorbing heat, noise, dust and water



Destek sacı



Reinforcement steel

60MM

4 ODACIK
CHAMBERS

INTERPEN

interpen.com.tr




SOLID SLIDE



INTERPEN®

Mükemmel tasarım ve estetiği sayesinde mekanlarınızın tarzına ferahlık katar, kolayca uyum sağlar.

Due to its perfect design and aesthetics, it adds freshness to the style of your spaces and adapts easily.




4+16+4 çift cam uygulama

4+16+4 double glazing application




Estetik görünümlü çift cam çitası

Aesthetic appearance with double glazing bead



Isı, ses, toz ve suyu absorbe eden özel conta

Special gasket absorbing heat, noise, dust and water



Destek sacı

Reinforcement steel

82MM
6 ODACIK
CHAMBERS


interpen.com.tr



SİSTEM PROFİLLERİ

SYSTEM PROFILES



**SOLID
SLIDE**



AZALEA SLIDING

Kolay Kullanım, Estetik Tasarım

Easy to Use, Aesthetic Design




4+16+4 çift
cam uygulama

4+16+4 double
glazing
application



Estetik
görünümlü çift
cam çitası

Aesthetic
appearance
with double
glazing bead



Isı, ses, toz ve
suyu absorbe
eden özel
conta

Special gasket
absorbing heat,
noise, dust and
water





Destek sacı

Reinforcement
steel

50MM
3 ODACIK
CHAMBERS

70MM
3 ODACIK
CHAMBERS



HEBESCHIEBE


- Uygulama alanında en az 20 cm duvar kalınlığına ihtiyaç vardır.
- Bir kanat için taşıma kapasitesi 300 kg olup, yatay 3000 mm, dikey 2765 mm ye kadar kanat yapılabilir.
- Özel tasarlanmış taşıyıcı araba sayesinde son derece sessiz ve kolay çalışır ve istenilen noktada kanat sabitlenebilir.
- 4 kanatlı bir sistemde 12000 mm kadar genişlikteki alanlarda uygulanabilir.
- At least 20 cm wall thickness is needed in the application area.
- For a sash, the carrying capacity is 300 kg and it can be made up to 3000 mm horizontal and up to 2765 mm vertical.
- It is very quiet and easy to operate thanks to the specially designed carriage and the wing can be fixed at the desired point.
- It can be applied in areas with a width of 12000 mm in a system with 4 blades.

Daha Geniş, Daha Ferah Manzara İsteyenlere
For Those Who Want a Wider, More Spacious View



**24, 32, 42 mm
cam kalınlıkları**

24, 32, 42 mm
glass thickness



**Estetik
görünümü çift
cam çitası**

Aesthetic
appearance
with double
glazing bead



**Isı, ses, toz ve
suyu absorbe
eden özel
conta**

Special gasket
absorbing heat,
noise, dust and
water



Destek sacı
Reinforcement
steel

**185mm
KASA
FRAME**

**80mm
KANAT
SASH**



ECOLOGY
CONCEPT





Pidosan, vizyonundaki önemli başlıklarından birisi olan ekoloji bilinci ile ön plana çıkmaktadır. Pidosan, profillerinin sahip olduğu maksimum kullanım süresi, %100 geri dönüşüme tabi olma, ısı yalıtımı ve enerji tasarrufu özellikleri sayesinde müşterileriyle birlikte daha yeşil bir dünyada daha kaliteli bir yaşam için katkı sağlamayı amaçlamaktadır.

Ekolojik geleceğe önem veren en son teknolojiyle birlikte üretim aşamalarında insana, geri dönüşüm sırasında ise doğaya büyük zararlar veren kurşun bazlı hammaddeler, Pidosan ürünlerinde kullanılmamaktadır.

Bu maddelerin yerine, doğaya zarar vermeyen kalsiyum-çinko hammaddeleri kullanılmaktadır. Kalsiyum ve çinkodan üretilen bu yeni stabilizatör karışımının çevre dostu olmasının yanında, diğer önemli özelliği ise her evrede pencerenin kalitesini artırmaktır.

Kalsiyum-çinko hammadde ile üretilen Pidosan profillerindeki özellikler;

Kötü hava koşullarına dayanıklılık; laboratuvar testleri, kalsiyum-çinko stabilizatörlerinden yapılan PVC profillerin diğerlerine göre kötü hava şartlarına daha dayanıklı olduğunu göstermiştir. En sert deneylerde bile dayanıklılığını korumuştur.

Daha parlak; kalsiyum-çinko stabilizatörlerinden yapılan PVC profiller, her zaman daha parlak bir görüntüye sahiptir. Teknik ve optik olarak uzun süre parlaklığını koruyan bu profillerin kalitesi, ilk bakışta da fark edilebilmektedir.

Geri dönüşümü daha kolay; gelecekte kurşun yok! Kurşun yerine kalsiyum-çinko stabilizatörlerin kullanımı, geri dönüşümü büyük oranda kolaylaştırmaktadır.



Pidosan stands out with its ecology awareness, which is one of the important topics in its vision. Pidosan aims to contribute to a better quality of life in a greener world with its customers, thanks to its profiles' maximum lifetime, 100% recyclability, thermal insulation, and energy-saving features.

Lead-based raw materials, which give great harm to humans during the production stages and to nature during recycling, are not used in Pidosan products, thanks to the latest technology that gives importance to the ecological future.

Instead of lead-based raw materials, calcium-zinc raw materials that do not harm nature are used. Besides being environmentally friendly, this new stabilizer mixture made of calcium and zinc aims to improve the quality of the window at every stage.

Pidosan profiles produced of calcium-zinc raw materials have the following features:

Resistance to bad weather; laboratory tests have shown that PVC profiles made of calcium-zinc stabilizers are more resistant to bad weather conditions than others. They remained durable even in the harshest experiments.

Brighter; PVC profiles made of calcium-zinc stabilizers always have a brighter appearance. The quality of these profiles, which preserves their brightness technically and optically for a long time, can also be noticed at first glance.

Easier recycling; no lead in the future! The use of calcium-zinc stabilizers instead of lead greatly facilitates recycling.





Ahi Evran OSB Mah. Oğuz Cad. No:45
Sincan - Ankara / Türkiye

www.interpen.com.tr
info@interpen.com.tr